



Annual Report Form For Individual NPDES Permits For Municipal Separate Storm Sewer Systems (RULE 62-624.600(2), F.A.C.)

- This Annual Report Form must be completed and submitted to the Department to satisfy the annual reporting requirements established in Rule 62-621.600, F.A.C.
- Submit this fully completed and signed form and any REQUIRED attachments by email to the NPDES Stormwater Program Administrator or to the MS4 coordinator (<http://www.dep.state.fl.us/water/stormwater/npdes/contacts.htm>). Files larger than 10MB may be placed on the FTP site at: ftp://ftp.dep.state.fl.us/pub/NPDES_Stormwater/. After uploading files, email the MS4 coordinator or NPDES Program Administrator to notify them the report is ready for downloading; or by mail to the address in the box at right.
- Refer to the Form Instructions for guidance on completing each section.
- **Please print or type information in the appropriate areas below.**

Submit the form and attachments to:
 Florida Department of Environmental Protection
 Mail Station 3585
 2600 Blair Stone Road
 Tallahassee, Florida 32399-2400

SECTION I. BACKGROUND INFORMATION

A.	Permittee Name: Town of Lake Park		
B.	Permit Name: Palm Beach County MS4		
C.	Permit Number: FLS000018-004		
D.	Annual Report Year: <input checked="" type="checkbox"/> Year 1 <input type="checkbox"/> Year 2 <input type="checkbox"/> Year 3 <input type="checkbox"/> Year 4 <input type="checkbox"/> Year 5 <input type="checkbox"/> Other, specify Year:		
E.	Reporting Time Period (month/year): October / 2016 through September / 2017		
F.	Name of the Responsible Authority: John D'Agostino		
	Title: Town Manager		
	Mailing Address: 535 Park Avenue		
	City: Lake Park	Zip Code: 33404	County: Palm Beach
	Telephone Number: 561-881-3304		Fax Number: 561-881-3314
E-mail Address: townmanager@lakeparkflorida.gov			
G.	Name of the Designated Stormwater Management Program Contact (if different from Section I.F above): Richard Scherle		
	Title: Interim Public Works Director		
	Department: Public Works		
	Mailing Address: 650 Old Dixie Highway		
	City: Lake Park	Zip Code: 33404	County: Palm Beach
	Telephone Number: 561-908-3874		Fax Number: 561-881-3349
E-mail Address: rscherle@lakeparkflorida.gov			

SECTION II. MS4 MAJOR OUTFALL INVENTORY (Not Applicable in Year 1)

A.	Number of outfalls ADDED to the outfall inventory in the current reporting year (insert "0" if none): 0 (Does this number include non-major outfalls? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable)
B.	Number of outfalls REMOVED from the outfall inventory in the current reporting year (insert "0" if none): 0 (Does this number include non-major outfalls? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable)
C.	Is the change in the total number of outfalls due to lands annexed or vacated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable

SECTION III. PART V.B. ASSESSMENT PROGRAM

<p>A.</p>	<p>Provide a brief statement as to the status of water quality monitoring plan implementation. Status may include sampling frequency changes, monitoring location changes, or sampling waiver conditions. <u>DEP Note:</u> <i>If permittee participates in a collaborative monitoring plan, permittee may refer to a joint response as defined by the interlocal agreement.</i></p> <p>Name and Date of Approved Plan: Current approved plan for the Group Monitoring Plan is September 8, 2016 (with issuance of Cycle 4 Permit). Our newly developed, Individual Assessment Plan was submitted on September 9, 2017.</p> <p>Status: The Group Monitoring Report is included in the Cycle 4, Year 1 Joint Annual Report. The newly developed, Individual Assessment Plan is awaiting approval by FDEP.</p>
<p>B.</p>	<p>Provide a brief discussion of the monitoring and loading results to date which includes a summary of the water quality monitoring data and / or stormwater pollutant loading changes from the reporting year. <u>DEP Note:</u> <i>Results must be specific to the permittee's SWMP.</i></p> <p>Please refer to Cycle 4, Year 1 Joint Annual Report for summary of the Group's water quality monitoring results for the reporting period. Refer to Cycle 3, Year 6 Joint Annual Report for proposed pollutant loading analysis changes. The best available information on existing pollutant loading estimates is documented in the Cycle 3, Year 3 Joint Annual Report.</p> <p>The newly-developed, Individual Assessment Plan is under review by FDEP and will be implemented during Year 2 of the Permit Cycle. Note that in any future reporting year, the Group's water quality monitoring data for the reporting period may not be available for 4 to 6 months after the reporting period has ended. Consequently, any water quality data from the Group Program that is used as part of an Individual Permittee's Assessment Plan for the reporting period, will be based on the previous year's data.</p>
<p>C.</p>	<p>Attach a monitoring data summary as required by the permit. An analysis of the data discussing changes in water quality and/or stormwater pollutant loading from previous reporting years. <u>DEP Note:</u> <i>Analysis must be specific to the permittee's SWMP.</i></p> <p>See response for Section III.B, above.</p>

SECTION IV. FISCAL ANALYSIS

<p>A.</p>	<p>Total expenditures for the NPDES stormwater management program for the current reporting year: \$627,348</p>
<p>B.</p>	<p>Total budget for the NPDES stormwater management program for the subsequent reporting year: \$690,175</p>
<p>C.</p>	<p>Did the current reporting year resources decrease from the previous year? Y <input type="checkbox"/> / N <input checked="" type="checkbox"/></p> <p>If program resources decreased, provide a discussion of the impacts on the implementation of the SWMP.</p>

SECTION V. MATERIALS TO BE SUBMITTED WITH THIS ANNUAL REPORT FORM

Only the following materials are to be submitted to the Department along with this fully completed and signed Annual Report Form (check the appropriate box to indicate whether the item is attached or is not applicable):

Attached	N/A	Required Attachments	Permit Citation	Attachment Number/Title
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Any additional information required to be submitted in this current annual reporting year in accordance with Part III.A of your permit that is not otherwise included in Section VII below.	Part III.A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	An explanation of why the minimum inspection frequency in Table II.A.1.a. was not met, if applicable.	Part II.A.1	Refer to note at bottom of page 4,
<input type="checkbox"/>	<input checked="" type="checkbox"/>	A list of the flood control projects that did not include stormwater treatment and an explanation for each of why it did not (if applicable).	Part III.A.4	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	A monitoring data summary as directed in Section III.C above and in accordance with Rule 62-624.600(2)(c), F.A.C.	Part V.B.3	Refer to PBC Joint Annual Report
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 1 ONLY: An inventory of all known major outfalls and a map depicting the location of the major outfalls (hard copy or CD-ROM) in accordance with Rule 62-624.600(2)(a), F.A.C.	Part III.A.1	Inventory is in progress.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 2: A summary review of codes and regulations to reduce the stormwater impact from development.	Part III.A.2	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Year 3 ONLY: The estimates of pollutant loadings and event mean concentrations for each major outfall or each major watershed in accordance with Rule 62-624.600(2)(b), F.A.C.	Part V.A	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 3: Summary of TMDL Monitoring Results (if applicable).	Part VIII.B.2	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 3: Bacteria Pollution Control Plan (if applicable).	Part VIII.B.3	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 4: A follow-up report on plan implementation of changes to codes and regulations to reduce the stormwater impact from development.	Part III.A.2	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 4: A report on any amendments to the applicable legal authority (if applicable).	Part III.A.7.a	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 4: Permit re-application information in accordance with Rule 62-624.420(2), F.A.C. <ul style="list-style-type: none"> The monitoring plan (with revisions, if applicable). If the total annual pollutant loadings have not decreased over the past two permit cycles, revisions to the SWMP, as appropriate. 	Part V.B.3 Part V.A.3	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	YEAR 4: TMDL Supplemental SWMP (if applicable).	Part VIII.B.3	

DO NOT SUBMIT ANY OTHER MATERIALS
(such as records and logs of activities, monitoring raw data, public outreach materials, etc.)

SECTION VI. CERTIFICATION STATEMENT AND SIGNATURE

The Responsible Authority listed in Section I.F above must sign the following certification statement, as per Rule 62-620.305, F.A.C.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name of Responsible Authority (type or print): John D'Agostino

Title: Town Manager

Signature:  Date: 2/21/18

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.					C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity					Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
Part III.A.1	Structural Controls and Stormwater Collection Systems Operation								
<p>Report the current known inventory.</p> <p>Report the number of inspection and maintenance activities conducted for each applicable type of structure included in Table II.A.1.a, and the percentage of the total inventory of each type of structure inspected and maintained.</p> <p><i>Note: Delete structures that are not in your MS4's inventory. The permittee may choose its own unit of measurement for each structural control to be consistent with the unit of measurement in the documentation. Unit options include: miles, linear feet, acres, etc.</i></p>									
Type of Structure		Number of Structures	Number of Inspections	Percent Inspected	Number of Maintenance Activities	Percent Maintained			
Dry retention systems		1	1	100	0	0	Insp. Reports	Public Works	
Exfiltration trench / French drains (lf)		9503	240 lf	2.5	1	2.5	Insp. Reports	Public Works	3 Str. Insp.
Grass treatment swales (miles)		25.5	13.6	53	2	0.3	Insp. Reports	Public Works	Regrade & sod
Dry detention systems		6	6	100	0	0	Insp. Reports	Public Works	
Major outfalls		11	11	100	0	0	Insp. Reports	Public Works	
Weirs or other control structures									Structures with weirs are now out of town jurisdiction
pipes / culverts (miles)*		8.7	0	0	0.53	6	Insp. Reports	Public Works	Vacuumed
Inlets / catch basins / grates*		409	28	7	28	7	Insp. Reports	Public Works	Inlets cleaned
Ditches / conveyance swales (miles)		25.5	13.6	53	2	0.3	Insp. Reports	Public Works	Regrade & sod
<p>If the minimum inspection frequencies set forth in Table II.A.1.a. were not met, provide as an attachment an explanation of why they were not and a description of the actions that will be taken to ensure that they will be met.</p>		<input checked="" type="checkbox"/>				<p>*Did not meet 10% inspection min. due to lack of equipment and shortage of personnel.</p>			

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
Part III.A.1 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Structural controls have been inspected and maintained on a regular basis and have been found to be functioning as designed.				
	Limitations: None.				
	SWMP revisions implemented to address limitations: NA				
Part III.A.2	Areas of New Development and Significant Redevelopment				
	Report the number of significant development projects, including new and redevelopment, reviewed and approved by the permittee for post-development stormwater considerations.				
	Number of significant development projects reviewed	2	Comments Letter	Consultant/Com. Development	
	Number of significant development projects approved	2	Approval Letter	Consultant/Com. Development	
	Provide in the Year 2 Annual Report the summary report of the review activity. Provide in the Year 4 Annual Report the follow-up report on plan implementation.				
	Year 2 ONLY: Attach the summary report of the review activity	<input type="checkbox"/>			
	Year 4 ONLY: Attach the follow-up report on plan implementation	<input type="checkbox"/>			
Part III.A.2 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Review of site plans by Consultant.				
	Limitations: None.				
	SWMP revisions implemented to address limitations: NA				
Part III.A.3	Roadways				
	Report on the litter control program, including the frequency of litter collection, an estimate of the total number of road miles cleaned or amount of area covered by the activities, and an estimate of the quantity of litter collected. <i>Note: If the permittee does not contract activities, delete CONTRACTOR activities.</i>				
	PERMITTEE Litter Control: Frequency of litter collection	Weekly	Collection Reports	Public Works	
	PERMITTEE Litter Control: Estimated amount of area maintained	30.67 Ac.	Collection Reports	Public Works	1 Road, 2 Parks
	PERMITTEE Litter Control: Estimated amount of litter collected (cy)	2.84	Collection Reports	Public Works	
	CONTRACTOR Litter Control: Frequency of litter collection	Weekly	Collection Reports	Town Landscape Maint. Contractor	
	CONTRACTOR Litter Control: Estimated amount of area maintained	4.48 Ac.	Collection Reports	Town Landscape Maint. Contractor	
	CONTRACTOR Litter Control: Estimated amount of litter collected (cy)	8.57	Collection Reports	Town Landscape Maint. Contractor	
	OPTIONAL: If an Adopt-A-Road or similar program is implemented, report the total number of road miles cleaned and an estimate of the quantity of litter				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	collected. If you do not participate in an Adopt-A-Road program, report "0".				
	Report on the street sweeping program, including the frequency of the sweeping, total miles swept, an estimate of the quantity of sweepings collected, and the total nitrogen and total phosphorus loadings that were removed by the collection of sweepings. If no street sweeping program is implemented, provide the explanation of why not in column F.				
	Frequency of street sweeping	Monthly	Sweeper Logs	Public Works	
	Total miles swept	586	Sweeper Logs	Public Works	
	Estimated quantity of sweeping material collected (tons)	42.81 Tons	SWA Receipts	Public Works	Dry
	Total phosphorous loadings removed (pounds)	30.91	FSA Calculator	Public Works	Dry
	Total nitrogen loadings removed (pounds)	48.20	FSA Calculator	Public Works	Dry
	Report the equipment yards and maintenances shops that support road maintenance activities, and the number of inspections conducted for each facility.				
	Name of Facility	Number of Inspections			
	Public Works Maintenance Yard	12	Insp. Reports	Public Works	
Part III.A.3 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Regular maintenance of roadways via street sweeping and litter collection programs.				
	Limitations: None.				
	SWMP revisions implemented to address limitations: None.				
Part III.A.4	Flood Control Projects				
	Report the total number of flood control projects that were constructed by the permittee during the reporting period and the number of those projects that did NOT include stormwater treatment. The permittee shall provide a list of the projects where stormwater treatment was not included with an explanation for each of why it was not.				
	Report on any stormwater retrofit planning activities and the associated implementation of retrofitting projects to reduce stormwater pollutant loads from existing drainage systems that do not have treatment BMPs.				
	Flood control projects completed during the reporting period	2	Insp. Reports	Public Works	450 lf swales
	Stormwater retrofit projects planned/under construction	1	Insp. Reports	Public Works	112 lf
	Stormwater retrofit projects completed	2	Insp. Reports	Public Works	450 lf swales
	If there were projects that did not include stormwater treatment, provide as an attachment a list of the projects and an explanation for each of why it did not.	<input type="checkbox"/>			
Part III.A.4	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
Summary	Strengths: Flood control devices perform adequately.				
	Limitations: Infrastructure approaching useful life expectancy.				
	SWMP revisions implemented to address limitations: Currently updating Master Drainage Study.				
Part III.A.5	Municipal Waste Treatment, Storage, and Disposal Facilities Not Covered by an NPDES Stormwater Permit				
	Report the applicable facilities and the number of the inspections conducted for each facility.				
	Name of Facility	Number of Inspections			
	Public Works Maintenance Yard	12	Insp. Reports	Public Works	
Part III.A.5 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: The Town of Lake Park Public Works Maintenance Yard is inspected on a monthly basis.				
	Limitations: None.				
	SWMP revisions implemented to address limitations: None.				
Part III.A.6	Pesticides, Herbicides, and Fertilizer Application				
	Report the number of permittee personnel applicators and contracted commercial applicators of pesticides and herbicides who are FDACS certified / licensed.				
	Report the number of permittee personnel who have been trained through the Green Industry BMP Program and the number of contracted commercial applicators of fertilizer who are FDACS certified / licensed.				
	CONTRACTORS: FDACS commercial applicators of pesticides/ herbicides	1	State License	FDACS	
	PERSONNEL: Green Industry BMP Program training completed	1	Certificate	IFAS	
	CONTRACTORS: FDACS certified / licensed applicators of fertilizer	1	State License	FDACS	
	Provide a copy of the adopted ordinance with the Year 2 Annual Report. If this provision is not applicable because the permittee is not within the watershed of a nutrient-impaired water body, indicate that in Column F.				
	Year 2 ONLY: Attach copy of adopted Florida-friendly ordinance	<input type="checkbox"/>			
	Report on the public education and outreach activities that are performed or sponsored by the permittee within the permittee's jurisdiction to encourage citizens to reduce their use of pesticides, herbicides and fertilizers including the type and number of activities conducted, the type and number of materials distributed, and the number of Web site visits (if applicable).				
	Public Education and Outreach Program	The public outreach and education plan is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the public education and outreach information.			

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
Part III.A.6 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Applicators are licensed to perform services.				
	Limitations: None				
	SWMP revisions implemented to address limitations: Proceeding with training of staff.				
Part III.A.7.a	Illicit Discharges and Improper Disposal — Inspections, Ordinances, and Enforcement Measures				
	Report amendments in Year 4.				
	Year 4 ONLY: Attach a report on amendments to applicable legal authority	<input type="checkbox"/>			
Part III.A.7.c	Illicit Discharges and Improper Disposal — Investigation of Suspected Illicit Discharges and/or Improper Disposal				
	Report on the proactive inspection program, including the number of inspections conducted by the permittee, the number of illicit activities found, and the number and type of enforcement actions taken.				
	Proactive inspections for suspected illicit discharges	28	Insp. Reports	Public Works	Inlets/catch basin insp.
	Report on the reactive investigation program as it relates to responding to reports of suspected illicit discharges, including the number of reports received, the number of investigations conducted, the number of illicit activities found, and the number and type of enforcement actions taken.				
	Reports of suspected illicit discharges received	1	Insp. Reports	Public Works	
	Reactive investigations of reports of suspected illicit discharges etc.	1	Insp. Reports	Public Works	
	Illicit discharges etc. found during reactive investigation	1	Insp. Reports	Public Works	
	NOV/WL/citation/fines issued for illicit discharges etc. found during reactive investigation	0	Town Rep. on site during cleanup.	Pubic Works	Site cleaned up before issuance of citation.
	Report the type of training activities, and the number of permittee personnel and contractors trained (both in-house and outside training) within the reporting year.				
	Personnel trained	7	Annual NPDES Training sign in sheet	Public Works	

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
Part III.A.7.d	Illicit Discharges and Improper Disposal — Spill Prevention and Response				
	Report on the spill prevention and response activities, including the number of spills addressed.				
	Hazardous and non-hazardous material spills responded to	1	Insp. Report	Public Works	
	Report the type of training activities, and the number of permittee personnel and contractors trained (both in-house and outside training) within the reporting year.				
	Personnel trained	7	Annual NPDES Training sign in sheet	Public Works	
Part III.A.7.e	Illicit Discharges and Improper Disposal — Public Reporting				
	Report on the public education and outreach activities that are performed or sponsored by the permittee within the permittee's jurisdiction to encourage the public reporting of suspected illicit discharges and improper disposal of materials, including the type and number of activities conducted, the type and number of materials distributed, and the number of Web site visits (if applicable).				
	Public Education and Outreach Program	The public outreach and education plan is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the public education and outreach information.			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
Part III.A.7.f	Illicit Discharges and Improper Disposal — Oils, Toxics, and Household Hazardous Waste Control				
	Report on the public education and outreach activities that are performed or sponsored by the permittee within the permittee's jurisdiction to encourage the proper use and disposal of oils, toxics, and household hazardous waste, including the type and number of activities conducted, the type and number of materials distributed, the amount of waste collected / recycled / properly disposed, and the number of Web site visits (if applicable).				
	Public Education and Outreach Program	The public outreach and education plan is carried out as a joint effort by			

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
		the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the public education and outreach information.			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
		0			
Part III.A.7.g	Illicit Discharges and Improper Disposal — Limitation of Sanitary Sewer Seepage				
	Report on the type and number of activities undertaken to reduce or eliminate SSOs and inflow/ infiltration, the number of SSOs or inflow / infiltration incidents found and the number resolved, and the name of the owner of the sanitary sewer system within the permittee's jurisdiction. Report only the SSOs and inflow / infiltration incidents into the MS4.				
	Owner of the sanitary sewer system	Seacoast Utility Authority (No work in the town this reporting year)			
	Activity to reduce/eliminate SSOs and I&I: (description)	0			
	Activity to reduce/eliminate SSOs and I&I: (description)	0			
	SSO incidents discovered	0			
	SSO incidents resolved	0			
	Inflow / infiltration incidents discovered	0			
	Inflow / infiltration incidents resolved	0			
Part III.A.7 Summary	For activities required by Part III.A.7: Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Staff performs regular inspections via pipe/inlet cleaning and inspection program.				
	Limitations: Need additional line video.				
	SWMP Revisions implemented to address limitations: Budget for additional line video.				
Part III.A.8.a	Industrial and High-Risk Runoff — Identification of Priorities and Procedures for Inspections				
	Report on the high-risk facilities inventory, including the type and total number of high risk facilities and the number of facilities newly added each year.				
	Report on the high-risk facilities inspection program, including the number of inspections conducted and the number and type of enforcement actions taken.				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE								
A.	B.			C.		D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity			Number of Activities Performed		Documentation / Record	Entity Performing the Activity	Comments
	Type of Facility	Number of Facilities	Number of Inspections	Enforcement Actions				
	Hazardous waste treatment, storage, disposal and recovery (HWTSDR) facilities	2	2	2	Insp. Report	Public Works	Copy of report sent to Public Works Director	
Part III.A.8.b	Industrial and High-Risk Runoff — Monitoring for High Risk Industries							
	Report the number of high risk facilities sampled.							
Part III.A.8 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.							
	Strengths: Staff performs regular inspections of facilities.							
	Limitations: None.							
	SWMP revisions implemented to address limitations: None.							
Part III.A.9.a	Construction Site Runoff — Site Planning and Non-Structural and Structural Best Management Practices							
	Report the number of permittee and private pre-construction site plans reviewed for stormwater, erosion, and sedimentation controls, and the number approved.							
	PERMITTEE SITES: Construction site plans reviewed							
	PERMITTEE SITES: Construction site plans approved							
	PRIVATE SITES: Construction site plans reviewed	2			Comments Letter	Consultant/Com. Development	Construction began after 9/2017	
	PRIVATE SITES: Construction site plans approved	2			Approval Letter	Consultant/Com. Development	Construction began after 9/2017	
	Report the number of development permit applicants notified of the ERP and CGP, and the number of applicants who confirmed ERP and CGP coverage.							
	Notified of ERP stormwater permit requirements							
	Confirmed ERP coverage							
	Notified of CGP stormwater permit requirements	2			Comments Letter	Consultant/Com. Development	Construction began after 9/2017	
	Confirmed CGP coverage	2			Approval Letter	Consultant/Com.	Construction	

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
				Development	began after 9/2017
Part III.A.9.b	Construction Site Runoff — Inspection and Enforcement				
	Report on the inspection program for privately-operated and permittee-operated construction sites, including the number of active construction sites during the reporting year, the number of inspections of active construction sites, the percentage of active construction sites inspected, and the number and type of enforcement actions / referrals taken.				
	PERMITTEE SITES: Active construction sites				
	PERMITTEE SITES: Pre-, During, and Post inspections of active construction sites for E&S and waste control BMPs				
	PERMITTEE SITES: Percentage of active construction sites inspected				
	PRIVATE SITES: Active construction sites				
	PRIVATE SITES: Pre-, During, and Post inspections of active construction sites for E&S and waste control BMPs				
	PRIVATE SITES: Percentage of active construction sites inspected				
	Enforcement Action				
Part III.A.9.c	Construction Site Runoff — Site Operator Training				
	Report the type of training activities, the number of inspectors, site plan reviewers and site operators trained (both in-house and outside training).				
		DEP Certification	Annual Training		
	Permittee construction site inspectors		7	Annual NPDES Training sign in sheet	Public Works
	Permittee construction site plan reviewers				
	Permittee construction site operators				
Part III.A.9 Summary	Provide an evaluation of the Stormwater Management Program according to Part VI.B.2 of the permit.				
	Strengths: Staff and consultants perform regular inspections to ensure maintenance of pollution prevention devices.				
	Limitations: None				
	SWMP revisions implemented to address limitations: None.				



SECTION VIII. CHANGES TO THE STORMWATER MANAGEMENT PROGRAM (SWMP) ACTIVITIES (Not Applicable in Year 4)

A.	Permit Citation/ SWMP Element	Proposed Changes to the Stormwater Management Program Activities Established as Specific Requirements Under Part III.A of the Permit (Including the Rationale for the Change) — REQUIRES DEP APPROVAL PRIOR TO CHANGE IF PROPOSING TO REPLACE OR DELETE AN ACTIVITY.
		NA
B.	Permit Citation/ SWMP Element	Changes to the Stormwater Management Program Activities NOT Established as Specific Requirements Under Part III.A of the Permit (Including the Rationale for the Change)
		NA











SECTION IX. TMDL Status Report

A.	YEAR 1 Provide a table summarizing the status of the TMDL process. Include a list of prioritized TMDLs and their monitoring and implementation schedule; and include the Identification number of the outfall prioritized for TMDL monitoring.								
	WBID Number	Segment/ Waterbody/ Basin	Pollutant of Concern	TMDL DEP / EPA	Percent Reduction (WLA)	Priority Rank	Priority Outfall	Monitoring Summary / BPCP Due Date	Supplemental SWMP Due Date
	N/A			<input type="checkbox"/> / <input type="checkbox"/>		1		(Year 3 AR)	(Year 4 AR; N/A) if BPCP)
				<input type="checkbox"/> / <input type="checkbox"/>					
B.	YEAR 3 and annually thereafter, provide a summary of the estimated load reductions that have occurred for the pollutant(s) of concern being discharged from the MS4 to the TMDL water body during the reporting period and cumulatively since the date the Supplemental SWMP was implemented. Year 3: Submit a Monitoring data summary or BPCP (if applicable). Year 4: Submit a Supplemental SWMP (if applicable).								
	WBID Number	Pollutant of Concern	Monitoring Summary / BPCP Submitted	Supplemental SWMP Submitted	Projected load reductions OR Actual load reductions to date				
	N/A		(Year 3 AR)	(Year 4 AR; N/A if BPCP)					
C.	Provide a brief statement as to the status of TMDL implementation according to Part VIII.B of the permit (e.g. status of monitoring to validate WLA): No discharge to the TMDL WBID at the time of the Permit issuance.								

EXISTING DRAINAGE MAP FOR THE TOWN OF LAKE PARK, FLORIDA



LEGEND:

-  DRAINAGE INLET WITH OPEN BOTTOM.
-  DRAINAGE INLET WITH OPEN BOTTOM AND CONNECTING DRAINAGE PIPE.
-  DRAINAGE INLET WITH OPEN BOTTOM WITH 18" PERFORATED PIPE WRAPPED WITH FILTER FABRIC.
-  DRAINAGE INLET WITH DRAINAGE PIPE. SEE SHEET 2 FOR INFORMATION.
-  DRAINAGE MANHOLE WITH DRAINAGE PIPE. SEE SHEET 2 FOR INFORMATION.
-  DRAINAGE OUTFALL. SEE SHEET 2 FOR INFORMATION.
-  EXFILTRATION TRENCH.
-  BENCHMARK LOCATION AND DESIGNATION.
-  SWALE DRAINAGE ACROSS PAVEMENT.
-  SECTION CORNER WITH SECTION DESIGNATIONS.

BENCHMARKS:

- BM: NO. 1
#3 ROD ON CENTERLINE OF WATERTOWER ROAD 961.93' WEST OF CENTERLINE OF OLD DIXIE HIGHWAY. ELEV.: 17.28
- BM: SRD
BRASS DISC AT S.E. CORNER OF BRIDGE OVER LAKE ON SIDEWALK. ELEV.: 11.895
- BM: 10-M
DISC AND BOLT AT S.E. CORNER OF 10th STREET AND MAGNOLIA DRIVE. ELEV.: 12.219

NOTES:




- 1.) DRAINAGE MAP PREPARED FROM ZONING MAP SUPPLIED BY TOWN OF LAKE PARK, (PREPARED BY "DAILEY AND ASSOCIATES", FILE NO. LP-BWZON). DRAINAGE STRUCTURES HAVE BEEN SHOWN IN THEIR APPROXIMATE LOCATION.
- 2.) MAP IS INTENDED FOR INFORMATIONAL PURPOSES ONLY.



SIMMONS & WHITE
ENGINEERING & PLANNING CONSULTANTS SINCE 1922
INCORPORATED NO. 3452
5601 Corporate Way • Suite 200 • West Palm Beach, Florida 33407 • (561) 478-7648

**LAKE PARK
MAJOR OUTFALL INVENTORY**

DATE	DESCRIPTION	BY	SEAL

DESIGN 	 <p>BARKER, OSHA & ANDERSON, INC. PROFESSIONAL ENGINEERS NORTH PALM BEACH, FLORIDA</p>	DRAWN 	
CHECKED J.D.R.		NOT TO BE USED FOR CONSTRUCTION UNTIL APPROVED	DATE JUNE 1999
APPROVED		DATE	

EXISTING DRAINAGE SYSTEM MASTER DRAINAGE STUDY FOR THE TOWN OF LAKE PARK, FLORIDA	PROJECT NO. 98-1035 SCALE NOT TO SCALE SHEET 1 OF 3 FILE NO. D-5266-016
--	---

ATTACHMENT 2

Major Outfall Inventory

<u>Outfall Number</u> <u>Drainage Basin</u>	<u>Pipe Size</u>	<u>Latitude/</u> <u>Longitude</u>
1	36"	26°48'13.1" 80°03'13.1"
3	36"	26°47'50.3" 80°03'07.4"
9	36"	26°48'30.0" 80°03'48.9"
10	36"	26°48'24.3" 80°04'01.0"
12	60"	26°48'42.5" 80°03'06.8"
13	60"	26°48'24.3" 80°04'05.8"
15	36"	26°48'19.1" 80°04'03.7"
18	36"	26°48'20.9" 80°04'54.9"
19	54"	26°48'15.7" 80°04'56.2"
22	24"	26°48'03.6" 80°04'56.3"