



LABEL	Pipe_Size	LAYER	FNUM	TYPE	MATERIAL	INVERT	RBODY	RELEV	DAREA	USE	CONNECT	WQ	VERIFICATION	Latitude	Longitude
CO0102	48" DIA	OUTFALLS	2318	PIPE	CMP	UNK	C-17	UNK	1.6		Y	N/A	0	26° 40' 52.836"	-80° 14' 48.309"
CO0213	36" DIA	OUTFALLS	3332	PIPE	RCP	UNK	STUB CANAL	UNK	7.3	190	N	N/A	0	26° 30' 23.368"	-80° 8' 52.085"
CO0331	36" DIA	OUTFALLS	2334	PIPE	RCP	N/A	L-3	8.5	5.2	190	M	N/A	4	26° 40' 52.836"	-80° 14' 48.309"
CO0802	48" DIA	OUTFALLS	3730	PIPE	RCP	UNK	EL RIO CANAL	UNK	4.7		Y	ET	0	26° 34' 18.044"	-80° 6' 18.970"
CO0803	36" DIA	OUTFALLS	3730	PIPE	RCP	UNK	EL RIO CANAL	UNK	3.5		Y	ET	0	26° 34' 18.044"	-80° 6' 18.970"
CO1005	36" DIA	OUTFALLS	2102	PIPE	RCP	1.0	SIMS CREEK	TIDAL	3.8	124	N	N/A	4	26° 38' 48.540"	-80° 4' 47.842"
CO1007	54" DIA	OUTFALLS	2101	PIPE	CAP	-1.1	LOXAHATCHEE	TIDAL	1.8	121	I	N/A	4	26° 28' 30.820"	-80° 8' 19.434"
CO1202	36" DIA	OUTFALLS	2706	PIPE	RCP	N/A	L-40	16.8	8.5	200	I	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO1206	54" DIA	OUTFALLS	2704	PIPE	CAP	N/A	L-40	16.0	11.7	131	I	SWML	4	26° 27' 40.233"	-80° 9' 51.310"
CO1213	36" DIA	OUTFALLS	2701	PIPE	CMP	UNK	L-40	UNK	3.8		Y	DET	0	26° 27' 40.233"	-80° 9' 51.310"
CO1215	36" DIA	OUTFALLS	2701	PIPE	CMP	UNK	L-40	UNK	3.0		Y	N/A	0	26° 27' 40.233"	-80° 9' 51.310"
CO1301	36" DIA	OUTFALLS	3506	PIPE	RCP	UNK	L-16	8.5	UNK	121/140	M	N/A	4	26° 30' 51.588"	-80° 4' 53.286"
CO1303	36" DIA	OUTFALLS	3506	PIPE	RCP	7.1	L-17	8.5	UNK	133	M	N/A	4	26° 30' 51.588"	-80° 4' 53.286"
CO1304	36" DIA	OUTFALLS	3506	PIPE	RCP	5.9	L-17	8.5	UNK	133	M	N/A	4	26° 30' 51.588"	-80° 4' 53.286"
CO1307	42" DIA	OUTFALLS	3507	PIPE	RCP	6.7	L-19	8.5	UNK	133	M	N/A	4	26° 28' 9.722"	-80° 6' 50.924"
CO1308	42" DIA	OUTFALLS	3507	PIPE	RCP	6.5	L-19	8.5	UNK	133	M	N/A	4	26° 28' 9.722"	-80° 6' 50.924"
CO1313	36" DIA	OUTFALLS	3519	PIPE	RCP	UNK	BOYNTON CANAL	9.2	7.5	140/190	M	N/A	4	26° 28' 15.396"	-80° 5' 17.970"
CO1314	36" DIA	OUTFALLS	3519	PIPE	RCP	UNK	BOYNTON CANAL	9.2	7.2	140/190	M	N/A	4	26° 28' 15.396"	-80° 5' 17.970"
CO1325	42" DIA	OUTFALLS	3605	PIPE	RCP	4.0	L-29	8.5	UNK	182/140	C	N/A	4	26° 39' 45.006"	-80° 6' 33.532"
CO1327	48" DIA	OUTFALLS	3608	PIPE	RCP	3.6	L-30	8.5	10.8	121	M	N/A	4	26° 35' 13.619"	-80° 5' 55.631"
CO1329	36" DIA	OUTFALLS	3618	PIPE	RCP	2.2	L-32/E-4	8.5	10.2	121	M	N/A	4	26° 35' 28.387"	-80° 12' 19.113"
CO1334	48" DIA	OUTFALLS	3619	PIPE	RCP	UNK	E-4	8.5	11.25	133/140	M	ET	4	26° 35' 28.387"	-80° 12' 19.113"
CO1341	36" DIA	OUTFALLS	3631	PIPE	RCP	3.5	E-4	4.3	3.2	190	I	N/A	4	26° 35' 28.387"	-80° 12' 19.113"
CO1342	36" DIA	OUTFALLS	3631	PIPE	RCP	3.5	E-4	4.3	3.0	190	I	ET	4	26° 35' 28.387"	-80° 12' 19.113"
CO1346	36" DIA	OUTFALLS	3706	PIPE	RCP	4.5	L-41	4.3	4.9	190/140	I	ET	4	26° 32' 58.990"	-80° 6' 21.964"
CO1354	48" DIA	OUTFALLS	3307	PIPE	RCP	UNK	EPB-11	UNK	3.3		Y	N/A	0	26° 36' 9.116"	-80° 8' 50.388"
CO1355	60" DIA	OUTFALLS	3307	PIPE	RCP	UNK	EPB-11	UNK	4.4		Y	N/A	0	26° 36' 9.116"	-80° 8' 50.388"
CO1356	36" DIA	OUTFALLS	3307	PIPE	CMP	UNK	EPB-11	UNK	3.5		Y	N/A	0	26° 36' 9.116"	-80° 8' 50.388"
CO1357	60" DIA	OUTFALLS	3318	PIPE	RCP	UNK	EPB-11	UNK	2.4		Y	N/A	0	26° 34' 28.880"	-80° 8' 47.774"
CO1360	60" DIA	OUTFALLS	3317	PIPE	RCP	UNK	EPB-11	UNK	2.1		Y	N/A	0	26° 34' 28.880"	-80° 8' 47.774"
CO1362	36" DIA	OUTFALLS	3320	PIPE	RCP	UNK	EPB-11	UNK	1.9		Y	N/A	0	26° 34' 28.880"	-80° 8' 47.774"
CO1365	36" DIA	OUTFALLS	3330	PIPE	RCP	UNK	E-3-1/2	UNK	2.2		N	N/A	0	26° 30' 47.578"	-80° 8' 56.695"
CO1366	54" DIA	OUTFALLS	3329	PIPE	RCP	UNK	L-2	UNK	10.0		N	N/A	0	26° 34' 28.880"	-80° 8' 47.774"
CO2105	36" DIA	OUTFALLS	3417	PIPE	RCP	6.2	L-10	8.5	10.8	133	I	N/A	4	26° 37' 58.338"	-80° 6' 16.804"
CO2311	48" DIA	OUTFALLS	3407	PIPE	RCP	7.0	L-8	8.5	10.9	140	N	ET	4	26° 39' 18.144"	-80° 6' 15.826"
CO2312	48" DIA	OUTFALLS	3407	PIPE	RCP	6.9	L-8	8.5	10.9	140	N	ET	4	26° 39' 18.144"	-80° 6' 15.826"
CO2405	48" DIA	OUTFALLS	3531	PIPE	RCP	UNK	L-27	UNK	QUAIL RIDGE		Y	N/A	0	26° 28' 15.396"	-80° 5' 17.970"
CO2504	60"	OUTFALLS	3406	PIPE	CMP	6.17	C-51	N/A	2.7	185	I	N/A	4	26° 40' 10.878"	-80° 6' 15.118"
CO2803	42" DIA	OUTFALLS	2312	PIPE	UNK	13.0	NPBCWCD VIA DITCH	UNK	4.5	140	M	N/A	4	26° 38' 51.080"	-80° 5' 45.626"
CO2809	36" DIA	OUTFALLS	2325	PIPE	CMP	UNK	L-1	UNK	2.9	141	N	N/A	0	26° 40' 52.836"	-80° 14' 48.309"
CO2810	36" DIA	OUTFALLS	2326	PIPE	RCP	UNK	L-1	UNK	3.5	121/141	N	N/A	0	26° 40' 52.836"	-80° 14' 48.309"
CO2811	42" DIA	OUTFALLS	2401	PIPE	RCP	UNK	C-51	UNK	7.8	131	N	N/A	0	26° 30' 22.241"	-80° 5' 25.108"
CO2814	60" DIA	OUTFALLS	2411	PIPE	UNK	UNK	L-6	UNK	6.7	131	N	N/A	0	26° 30' 21.954"	-80° 7' 5.196"
CO3101	48" DIA	OUTFALLS	2503	PIPE	CAP	12.1	L-18	16.0	5.4	210	I	N/A	4	26° 40' 36.588"	-80° 6' 14.254"
CO3102	48" DIA	OUTFALLS	2503	PIPE	CAP	10.1	L-18	16.0	8.8	210	I	N/A	4	26° 40' 36.588"	-80° 6' 14.254"
CO3103	36" DIA	OUTFALLS	2502	PIPE	CAP	13.6	L-18	16.0	4.3	210	I	N/A	4	26° 40' 37.207"	-80° 6' 36.251"

CO3104	42" DIA	OUTFALLS	2502	PIPE	CAP	11.9	L-18	16.0	8.1	131/210	I	N/A	4	26° 40' 37.207"	-80° 6' 36.251"
CO3105	48" DIA	OUTFALLS	3505	PIPE	RCP	6.2	L-18	8.5	1.7	121	I	N/A	4	26° 28' 15.411"	-80° 7' 50.375"
CO3113	72" DIA	OUTFALLS	3505	PIPE	UNK	UNK	LAKE OSBORNE (VIA CANAL)	8.5	5.5	121	M	N/A	4	26° 28' 15.411"	-80° 7' 50.375"
CO3123	72" DIA	OUTFALLS	3507	PIPE	CMP	UNK	L-18	UNK	13.3		Y	N/A	0	26° 28' 9.722"	-80° 6' 50.924"
CO3205	36" DIA	OUTFALLS	2106	PIPE	RCP	9.7	LOXAHATCHEE SLOUGH	N/A	N/A	190	N	N/A	4	26° 37' 54.756"	-80° 4' 49.738"
CO3301	36" DIA	OUTFALLS	2403	PIPE	RCP	7.0	C-51	8.5	3.5	111/190	I	ET	4	26° 30' 23.016"	-80° 5' 33.192"
CO3302	36" DIA	OUTFALLS	2403	PIPE	RCP	10.0	L-5	13.0	3.4	111	M	ET	4	26° 30' 23.016"	-80° 5' 33.192"
CO3303	36" DIA	OUTFALLS	2403	PIPE	RCP	10.0	L-5	13.0	13.3	111/185	M	N/A	4	26° 30' 23.016"	-80° 5' 33.192"
CO3304	36" DIA	OUTFALLS	2410	PIPE	RCP	10.3	L-7	13.0	7.4	133	M	WML	4	26° 30' 21.936"	-80° 6' 57.786"
CO3307	36" DIA	OUTFALLS	2427	PIPE	RCP	11.5	L-14	13.0	4.6	121	I	ET	4	26° 30' 21.706"	-80° 7' 15.342"
CO3308	36" DIA	OUTFALLS	2434	PIPE	RCP	11.5	L-15	13.0	14.1	121	M	ET	4	26° 36' 11.701"	-80° 6' 21.262"
CO3309	42" DIA	OUTFALLS	2434	PIPE	RCP	13.9	L-16	13.0	3.6	140	M	N/A	4	26° 36' 11.701"	-80° 6' 21.262"
CO3310	36" DIA	OUTFALLS	2503	PIPE	UNK	9.0	L-16	16.0	4.7	129	I	SWMS	4	26° 40' 36.588"	-80° 6' 14.254"
CO3345	36" DIA	OUTFALLS	2415	PIPE	RCP	UNK	L-8	UNK	7.0		Y	ET	0	26° 30' 21.706"	-80° 7' 15.342"
CO3346	36" DIA	OUTFALLS	2415	PIPE	RCP	UNK	L-9	UNK	7.0		Y	ET	0	26° 30' 21.706"	-80° 7' 15.342"
CO3347	36" DIA	OUTFALLS	2415	PIPE	RCP	UNK	L-10	UNK	8.3		Y	ET	0	26° 30' 21.706"	-80° 7' 15.342"
CO3403	36" DIA	OUTFALLS	3406	PIPE	CMP	8.5	L-5	8.5	5.4	133/190	I	DET	4	26° 40' 10.878"	-80° 6' 15.118"
CO3404	36" DIA	OUTFALLS	3406	PIPE	CMP	8.5	L-5	8.5	4.8	133/190	I	DET	4	26° 40' 10.878"	-80° 6' 15.118"
CO3409	36" X 24"	OUTFALLS	2413	PIPE	RCP	12.4	L-9	8.5	UNK	131	C	SWAL	4	26° 30' 21.706"	-80° 7' 15.342"
CO3502	36" DIA	OUTFALLS	2610	PIPE	CMP	12.2	L-32	16.0	7.0	133	N	SWML	4	26° 40' 23.208"	-80° 5' 45.436"
CO3506	36" DIA	OUTFALLS	2612	PIPE	RCP	N/A	L-32	16.0	3.2	133	M	ET	4	26° 31' 40.134"	-80° 9' 49.572"
CO3507	42" DIA	OUTFALLS	2612	PIPE	RCP	8.7	L-32	16.0	3.8	133	M	ET	4	26° 31' 40.134"	-80° 9' 49.572"
CO3508	36" DIA	OUTFALLS	2612	PIPE	RCP	9.95	L-31/2-4	16.0	3.4	131	M	ET	4	26° 31' 40.134"	-80° 9' 49.572"
CO3509	36" DIA	OUTFALLS	2612	PIPE	RCP	9.3	L-31/2-4	16.0	6.0	131	M	ET	4	26° 31' 40.134"	-80° 9' 49.572"
CO3510	42" DIA	OUTFALLS	3607	PIPE	RCP	N/A	L-30	8.5	2.0	131	M	ET	4	26° 35' 17.683"	-80° 6' 17.840"
CO3512	48" DIA	OUTFALLS	3608	PIPE	N/A	N/A	E-4	8.5	20.3	140	M	N/A	4	26° 35' 13.619"	-80° 5' 55.631"
CO3602	42" DIA	OUTFALLS	2503	PIPE	RCP	UNK	L-16	13.0	8.0	210/140	M	N/A	4	26° 40' 36.588"	-80° 6' 14.254"
CO3606	72" DIA	OUTFALLS	2436	PIPE	RCP	8.7	L-16	8.5	8.4	121	M	ET	4	26° 36' 11.701"	-80° 6' 21.262"
CO3607	54" DIA	OUTFALLS	3431	PIPE	RCP	8.9	E-3 1/2	8.5	8.4	121	M	ET	4	26° 37' 31.685"	-80° 6' 19.043"
CO3612	48" DIA	OUTFALLS	3432	PIPE	RCP	3.6	LAKE OSBORNE	8.5	8.3	121	M	N/A	4	26° 37' 31.685"	-80° 6' 19.043"
CO3614	48" DIA	OUTFALLS	2433	PIPE	BCCMP	N/A	E-2	16.0	N/A	N/A	N/A	N/A	0	26° 30' 21.706"	-80° 7' 15.342"
CO3801	48" DIA	OUTFALLS	2627	PIPE	RCP	11.3	L-36	16.0	4.4	133/210	M	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO3914	48" DIA	OUTFALLS	2717	PIPE	RCP	10.5	L-46	16.0	7.0	131	I	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO3923	36" DIA	OUTFALLS	2430	PIPE	CMP	UNK	L-13	UNK	2.5		Y	N/A	0	26° 30' 21.706"	-80° 7' 15.342"
CO3924	36" DIA	OUTFALLS	2430	PIPE	RCP	UNK	L-13	UNK	2.5		Y	N/A	0	26° 30' 21.706"	-80° 7' 15.342"
CO3928	60" DIA	OUTFALLS	2506	PIPE	CMP	UNK	L-16	UNK	2.8		Y	N/A	0	26° 40' 23.208"	-80° 5' 45.436"
CO4001	54" DIA	OUTFALLS	2425	PIPE	RCP	4.3	L-14	8.5	20.1	131/111	M	ET	4	26° 30' 21.706"	-80° 7' 15.342"
CO4209	36" DIA	OUTFALLS	2125	PIPE	CAP	UNK	EPB3A (NPBCWCD)	8.0	26.9	191	C	DET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4210	36" DIA	OUTFALLS	2125	PIPE	CAP	UNK	EPB3A (NPBCWCD)	8.0	6.7	191	C	DET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4211	36" DIA	OUTFALLS	2125	PIPE	CAP	UNK	EPB3B (NPBCWCD)	8.0	13.2	191	C	DET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4212	36" DIA	OUTFALLS	2125	PIPE	CAP	UNK	EPB3B (NPBCWCD)	8.0	25.5	191	C	DET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4216	42" DIA	OUTFALLS	2136	PIPE	RCP	6.2	EPB3C (NPBCWCD)	8.0	5.8	191	I	ET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4217	36" DIA	OUTFALLS	2136	PIPE	RCP	6.2	EPB3C (NPBCWCD)	8.0	4.1	133	I	ET	4	26° 39' 42.036"	-80° 4' 49.078"
CO4218	36" DIA	OUTFALLS	2201	PIPE	UNK	7.5	EPB3D (NPBCWCD)	UNK	16.5	133	I	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4220	48" DIA	OUTFALLS	2212	PIPE	RCP	UNK	THOMPSON RVR CANAL	10.0	7.4	133	M	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4222	42" DIA	OUTFALLS	2213	PIPE	RCP	UNK	MERRILL CANAL (NPBCWCD)	8.5	22.4	190/121	M	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4223	48" DIA	OUTFALLS	2213	PIPE	RCP	UNK	MERRILL CANAL (NPBCWCD)	8.5	14.8	121	M	N/A	4	26° 39' 42.036"	-80° 4' 49.078"

CO4224	60" DIA	OUTFALLS	2224	PIPE	RCP	6.0	EPB6A (NPBCWCD)	9.5	4.3	141/121	M	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4227	54" DIA	OUTFALLS	2225	PIPE	RCP	8.0	EPB7	9.5	6.6	190/133	M	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4228	36" DIA	OUTFALLS	2225	PIPE	RCP	6.1	EPB7	9.5	6.6	133	I	N/A	4	26° 39' 42.036"	-80° 4' 49.078"
CO4229	42" DIA	OUTFALLS	2425	PIPE	RCP	10.0	L-12	13.0	1.18	140	M	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO4231	36" DIA	OUTFALLS	2425	PIPE	RCP	10.0	L-13	13.0	3.5	121	M	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO4232	36" DIA	OUTFALLS	2425	PIPE	RCP	11.1	L-13	13.0	3.3	121	M	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO4233	42" DIA	OUTFALLS	2425	PIPE	RCP	10.0	L-14	13.0	5.8	121	N	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO4234	36" DIA	OUTFALLS	2425	PIPE	RCP	10.0	L-14	13.0	4.4	121	M	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO4235	36" DIA	OUTFALLS	2436	PIPE	RCP	12.2	L-15	13.0	7.6	121	M	N/A	4	26° 36' 11.701"	-80° 6' 21.262"
CO4236	36" DIA	OUTFALLS	2501	PIPE	RCP	11.0	L-16	12.5	6.4	121	M	N/A	4	26° 40' 12.126"	-80° 6' 59.266"
CO4238	36" DIA	OUTFALLS	2501	PIPE	RCP	10.5	L-17	16.0	2.9	121	M	N/A	4	26° 40' 12.126"	-80° 6' 59.266"
CO4239	36" DIA	OUTFALLS	2513	PIPE	RCP	11.1	L-20	14.0	7.3	121/200	I	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO4240	36" DIA	OUTFALLS	2513	PIPE	RCP	11.1	L-20	14.0	5.6	121/200	I	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO4241	36" DIA	OUTFALLS	2513	PIPE	RCP	11.0	L-21	14.5	2.5	121	M	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO4243	36" DIA	OUTFALLS	2513	PIPE	RCP	11.1	L-22	15.0	13.1	121	I	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO4249	36" DIA	OUTFALLS	2601	PIPE	RCP	12.5	L-29	13.0	11.83	121/150	M	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO4262	36" DIA	OUTFALLS	2624	PIPE	RCP	10.6	L-35	16.0	3.9	133	M	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO4274	36" DIA	OUTFALLS	2711	PIPE	UNK	8.9	L-42	9.3	2.8	191	M	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO4276	42" DIA	OUTFALLS	2711	PIPE	UNK	8.9	L-43	9.3	2.2	191	M	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO4277	48" DIA	OUTFALLS	2714	PIPE	UNK	6.6	L-45	9.3	4.1	121/150	M	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO4279	72" DIA	OUTFALLS	2723	PIPE	RCP	3.1	E-3/L-48	9.3	8.0	121/190	M	DET	4	26° 27' 40.233"	-80° 9' 51.310"
CO4284	42" DIA	OUTFALLS	2601	PIPE	RCP	UNK	L-28	UNK	4.7		Y	ET	0	26° 40' 23.208"	-80° 5' 45.436"
CO4285	42" DIA	OUTFALLS	2536	PIPE	RCP	UNK	L-27	UNK	6.6		Y	ET	0	26° 40' 23.208"	-80° 5' 45.436"
CO4287	48" DIA	OUTFALLS	2536	PIPE	CMP	UNK	L-26	UNK	4.9		Y	ET	0	26° 40' 23.208"	-80° 5' 45.436"
CO4288	42" DIA	OUTFALLS	2525	PIPE	RCP	UNK	L-25	UNK	5.2		Y	ET	0	26° 40' 23.208"	-80° 5' 45.436"
CO4291	66" DIA	OUTFALLS	2726	PIPE	RCP	9.0	E-3	9.3	2.8	121	I	ET	0	26° 27' 40.233"	-80° 9' 51.310"
CO4307	48" DIA	OUTFALLS	1216	PIPE	RCP	13.6	M-1	N/A	19.8	190	N	DITCH	4	26° 24' 34.339"	-80° 6' 26.433"
CO4308	42" DIA	OUTFALLS	2319	PIPE	RCP	UNK	C-17	UNK	9.6		Y	N/A	0	26° 40' 52.836"	-80° 14' 48.309"
CO4309	72" DIA	OUTFALLS	2319	PIPE	RCP	UNK	C-17	UNK	31.3		Y	N/A	0	26° 40' 52.836"	-80° 14' 48.309"
CO4401	42" DIA	OUTFALLS	3123	PIPE	RCP	8.8	M-1	13.5	10.8	190	I	N/A	4	26° 34' 18.246"	-80° 6' 4.422"
CO4402	36" DIA	OUTFALLS	3123	PIPE	RCP	9.5	M-1	13.5	5.1	141	I	N/A	4	26° 34' 18.246"	-80° 6' 4.422"
CO4403	36" DIA	OUTFALLS	1324	PIPE	RCP	UNK	CPB-20A	UNK	17.7		Y	N/A	0	26° 29' 57.755"	-80° 5' 24.595"
CO4404	36" DIA	OUTFALLS	1323	PIPE	RCP	UNK	UNNAMED CANAL (ITWCD)		17.1		Y	N/A	0	26° 29' 57.750"	-80° 5' 23.259"
CO4601	54" DIA	OUTFALLS	3731	PIPE	UNK	0.1	HILLSBORO	TIDAL	144.4	121/190	I	N/A	4	26° 34' 18.044"	-80° 6' 18.970"
CO5052	60" X 2	OUTFALLS	2725	PIPE	RCP	1.3	L-48	2.0	3.9	140/131	I	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO5053	48"	OUTFALLS	2725	PIPE	RCP	UNK	L-48	2.0	5.9	140/131	I	N/A	4	26° 27' 40.233"	-80° 9' 51.310"
CO5058	72" DIA	OUTFALLS	3720	PIPE	RCP	UNK	INTRACOASTAL	TIDAL	13.9		Y	N/A	0	26° 34' 18.044"	-80° 6' 18.970"
CO5063	42" DIA	OUTFALLS	1725	PIPE	RCP	UNK	E-1W-S	UNK	4.6		Y	N/A	0	26° 52' 54.243"	-80° 4' 18.134"
CO50646	72" DIA	OUTFALLS	1735	PIPE	RCP	UNK	HILLSBORO	UNK	1063,PR5055		Y	N/A	0	26° 52' 54.243"	-80° 4' 18.134"
CO5401	60" DIA	OUTFALLS	3217	PIPE	UNK	UNK	EARMAN CANAL	UNK	51.4	140	M	N/A	4	26° 51' 13.194"	-80° 6' 17.698"
CO5402	42" DIA	OUTFALLS	3217	PIPE	RCP	-2.0	EARMAN CANAL	2.2	12.7	131	M	N/A	4	26° 51' 13.194"	-80° 6' 17.698"
CO5413	42"	OUTFALLS	3205	PIPE	RCP	N/A	INTRACOASTAL	TIDAL	2.8		Y	N/A	0	26° 56' 13.880"	-80° 10' 32.431"
CO6208	36" DIA	OUTFALLS	2412	PIPE	RCP	11.4	L-6	8.5	5.3	133/141	I	N/A	4	26° 30' 21.706"	-80° 7' 15.342"
CO6209	42" DIA	OUTFALLS	3407	PIPE	RCP	7.2	L-6	8.5	5.4	190/140	I	N/A	4	26° 39' 18.144"	-80° 6' 15.826"
CO6210	36" DIA	OUTFALLS	3407	PIPE	RCP	11.5	L-6	8.5	5.3	190/140	M	ET	4	26° 39' 18.144"	-80° 6' 15.826"
CO6211	48" DIA	OUTFALLS	3405	PIPE	RCP	UNK	L-5		10.1		Y	ET	0	26° 40' 10.878"	-80° 6' 15.118"
CO6212	36" DIA	OUTFALLS	3405	PIPE	RCP	UNK	C-51 (?)		8.0		Y	ET	0	26° 40' 10.878"	-80° 6' 15.118"

CO6301	36" DIA	OUTFALLS	3605	PIPE	CAP	8.2	LAKE EDEN	8.5	1.4	121	I	N/A	4	26° 39' 45.006"	-80° 6' 33.532"
CO6303	72" DIA	OUTFALLS	3605	PIPE	RCP	3.3	LAKE EDEN	8.5	UNK	121	I	N/A	4	26° 39' 45.006"	-80° 6' 33.532"
CO6401	36" DIA	OUTFALLS	2415	PIPE	RCP	UNK	L-10	13.0	1.9	133/141	I	ET	4	26° 30' 21.706"	-80° 7' 15.342"
CO6408	42" DIA	OUTFALLS	2424	PIPE	RCP	UNK	L-10	13.0	5.8	140/171	I	ET	4	26° 30' 21.706"	-80° 7' 15.342"
CO6409	36" DIA	OUTFALLS	2424	PIPE	RCP	13.0	L-11	13.0	9.2	121/140	I	ET	4	26° 30' 21.706"	-80° 7' 15.342"
CO6412	48" DIA	OUTFALLS	3420	PIPE	RCP	6.0	E-4	8.5	20.6	140	M	N/A	4	26° 37' 58.350"	-80° 6' 17.542"
CO6501	36" DIA	OUTFALLS	2536	PIPE	RCP	UNK	L-26	8.5	16.2	121/155	M	N/A	4	26° 40' 23.208"	-80° 5' 45.436"
CO6504	84" DIA	OUTFALLS	3532	PIPE	RCP	1.6	L-26	8.5	11.4	131	I	N/A	4	26° 28' 15.396"	-80° 5' 17.970"
CO6505	36" DIA	OUTFALLS	3532	PIPE	RCP	UNK	L-26	8.5	6.6	131	I	N/A	4	26° 28' 15.396"	-80° 5' 17.970"
CO6508	60" DIA	OUTFALLS	3534	PIPE	CMP	4.1	INTRACOASTAL	TIDAL	9.6	121/140	I	N/A	4	26° 28' 15.396"	-80° 5' 17.970"
CO6609	42" DIA	OUTFALLS	2705	PIPE	RCP	N/A	E-2-W	16.0	2.4	133	I	SWML	4	26° 27' 40.233"	-80° 9' 51.310"
CO6610	36" DIA	OUTFALLS	2705	PIPE	RCP	N/A	E-2-W	16.0	6.7	133	I	SWML	4	26° 27' 40.233"	-80° 9' 51.310"
CO6805	60" DIA	OUTFALLS	2731	PIPE	RCP	UNK	E-1	UNK	47.2		Y	N/A	0	26° 27' 40.233"	-80° 9' 51.310"
CO6807	36" DIA	OUTFALLS	2732	PIPE	RCP	UNK	E-1-1/2	UNK	15.3		Y	N/A	0	26° 27' 40.233"	-80° 9' 51.310"
CO6809	36" DIA	OUTFALLS	2732	PIPE	RCP	UNK	UNK	UNK	2.4		Y	N/A	0	26° 27' 40.233"	-80° 9' 51.310"
CO7002	60" DIA	OUTFALLS	3308	PIPE	CMP	UNK	EPB-11 (VIA WPB CANAL)	UNK	21.0		Y	ET	0	26° 35' 48.997"	-80° 8' 49.648"
CO7003	48" DIA	OUTFALLS	3305	PIPE	RCP	UNK	EPB-11 (VIA WPB CANAL)	UNK	55.2		Y	ET	0	26° 36' 18.589"	-80° 8' 46.516"
CO7004	36" DIA	OUTFALLS	3306	PIPE	RCP	UNK	EPB-11	UNK	9.9		Y	N/A	0	26° 36' 9.559"	-80° 8' 50.139"
CO7102	36" DIA	OUTFALLS	3517	PIPE	RCP	4.8	E-4	8.5	6.2	133	M	ET	4	26° 28' 15.396"	-80° 5' 17.970"